

Regulatory Compliance Information

FCC Compliance This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. No changes shall be made to the device without the manufacturer's permission as this may void the user's authority to operate the device.

indexor module 60A

FCC ID: 2A350-INDEXORMODULE

Contains FCC ID: 2AC7Z-ESPWROOM32D

The Indexor Module 60A complies with the safety requirements for RF exposure in accordance with FCC Part 2.1093 for portable use conditions. This device complies with FCC RF radiation exposure limits set forth for an uncontrolled environment.

iLogger Case 2 & 4

FCC ID: 2A350-ILOGGERCASE2 / FCC ID: 2A350-ILOGGERCASE4

Contains FCC ID: 2AC7ZESP32WROOM32E

Contains FCC ID: R7T1101102

The iLogger Case 4A complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. The iLogger Case 4A complies with the safety requirements for RF exposure in accordance with FCC Part 2.1093 for portable use conditions.

FCC Compliance The iLogger Case 2 and iLogger Case 4 comply with FCC RF radiation exposure limits set forth for an uncontrolled environment. The iLogger Case 2 and iLogger Case 4 comply with the safety requirements for RF exposure for mobile (>20 cm) use conditions in accordance with FCC rule part 2.1091.

Mexico La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.

ISED Canada Compliance This device complies with ISED's licence-exempt RSS standard(s). Operation is subject to the following two conditions:

- (1) this device may not cause interference, and
- (2) this device must accept any interference, including interference that may cause undesired operation of the device.

indexor Module 60A

This device complies with ISED Canada RF radiation exposure limits set forth for an uncontrolled environment. The Indexor Module 60A complies with the safety requirements for RF exposure in accordance with RSS-102 for portable use conditions.

ISED Canada Compliance

iLogger Case 4A

The iLogger Case 4A complies with ISED Canada RSS-102 radiation exposure limits set forth for an uncontrolled environment. The iLogger Case 4A complies with the safety requirements for RF exposure in accordance with RSS-102 Issue 5 section 2.5.1 for portable (≤ 20 cm) use conditions.

iLogger Case 2 & 4

The iLogger Case 2 and iLogger Case 4 comply with ISED Canada RSS-102 radiation exposure limits set forth for an uncontrolled environment. The iLogger Case 2 and iLogger Case 4 comply with the safety requirements for RF exposure in accordance with RSS-102 Issue 5 section 2.5.2 for mobile (> 20 cm) use conditions. Contains IC: 21098-ESPWROOM32E and Contains IC: 5136A-1101102.

Informations réglementaires d'ISED Canada

Ce dispositif est conforme à la norme RSS exemptée de licence de l'ISED. L'opération est soumise aux deux conditions suivantes:

- (1) ce dispositif peut ne pas causer d'interférence, et
- (2) ce dispositif doit accepter toute interférence, y compris les interférences qui peuvent causer le fonctionnement indésirable de l'appareil.

indexor Module 60A

Cet appareil est conforme aux limites d'exposition aux rayonnements RF d'ISED Canada établies pour un environnement non contrôlé. Le module Indexor 60A est conforme aux exigences de sécurité pour l'exposition aux RF conformément à la norme RSS-102 pour les conditions d'utilisation portables.

Informations réglementaires d'ISED Canada

iLogger Case 4A

Le iLogger Case 4A est conforme aux limites d'exposition au rayonnement CNR-102 Canada ISDE établies pour un environnement non contrôlé. Le iLogger Case 4A est conforme aux exigences de sécurité pour l'exposition aux RF conformément à la norme CNR-102 édition 5 section 2.5.1 pour les conditions d'utilisation portables (≤ 20 cm).

iLogger Case 2 & 4

Le iLogger Case 2 et iLogger Case 4 sont conforme aux limites d'exposition au rayonnement CNR-102 Canada ISDE établies pour un environnement non contrôlé. Le iLogger Case 2 et iLogger Case 4 sont conforme aux exigences de sécurité pour l'exposition au RF conformément à la norme CNR-102 édition 5 section 2.5.2 pour les conditions d'utilisation mobile (> 20 cm). Le iLogger Case 2 et iLogger Case 4 contiennent IC: 21098-ESPWROOM32E y contiennent IC: 5136A-1101102.

Brazil

Mini indexor Unit indexor Module 60A iLogger Case 2 & 4

ANATEL Resolution 680: Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.

Taiwan
NCC

**Mini indexor Unit
indexor Module 60A
iLogger Case 2 & 4**

取得審驗證明之低功率射頻器材，非經核准，公司、商號或使用者均不得擅自變更頻率、加大功率或變更原設計之特性及功能。低功率射頻器材之使用不得影響飛航安全及干擾合法通信；經發現有干擾現象時，應立即停用，並改善至無干擾時方得繼續使用。前述合法通信，指依電信管理法規定作業之無線電通信。低功率射頻器材須忍受合法通信或工業、科學及醫療用電波輻射性電機設備之干擾。

EEA



Restriction of
Certain Hazardous
Substances



Waste from
Electrical and
Electronic
Equipment



Morocco



Thailand

This telecommunication equipment conforms to the standard or technical requirements of NBTC



เครื่องวิทยุคมนาคมนี้ ได้รับยกเว้น ไม่ต้องได้
รับใบอนุญาตให้มี ใช้ซึ่งเครื่องวิทยุคมนาคม
หรือตั้งสถานีวิทยุคมนาคมตามประกาศ กสทช.
เรื่อง เครื่องวิทยุคมนาคม และสถานีวิทยุ
คมนาคมที่ได้รับยกเว้นไม่ต้องได้รับใบอนุญาต
วิทยุคมนาคมตามพระราชบัญญัติวิทยุคมนาคม
พ.ศ. 2498



nab. | โทรคมนาคม
กำกับดูแลเพื่อประชาชน
Call Center 1200 (InSW)

UL Mark

Mini indexor unit
indexor module 60A
iMaster



E527400

iLogger Case 2 & 4



E527401

Japan

indexor Module 60A



総務省指定
第EC-22016号

iLogger Case 2



総務省指定
第EC-23019号

iLogger Case 4



総務省指定
第EC-23020号

Australia & New Zealand

Mini indexor unit
indexor module 60A
iLogger Case 2 & 4



iMaster



Serbia

Mini indexor unit
indexor module 60A
iLogger Case 2 & 4



iMaster



Singapore

Mini indexor unit
indexor module 60A
iLogger Case 2 & 4

Complies with
IMDA Standards
DA103787

Senegal

Mini indexor Unit

AGREE PAR ARTP SENEGAL
Numéro d'agrément: 072707/AG/ER

indexor Module 60A

AGREE PAR ARTP SENEGAL
Numéro d'agrément: 072681/AG/ER

iLogger Case 2

AGREE PAR ARTP SENEGAL
Numéro d'agrément: 072658/AG/ER

iLogger Case 4

AGREE PAR ARTP SENEGAL
Numéro d'agrément: 072682/AG/ER

Hong Kong

Mini indexor Unit



indexor Module 60A



Hong Kong

iLogger Case 2



iLogger Case 4



Malaysia

Mini indexor unit
indexor module 60A
iLogger Case 2 & 4



South Korea

Mini indexor unit



indexor module 60A



iMaster



iLogger Case 2 & 4



Indonesia

Mini indexor unit



indexor module 60A



iLogger Case 2



iLogger Case 4



Brazil

Mini indexor unit

ANATEL:07116-24-16830

indexor module 60A

ANATEL:06308-24-16830

iLogger Case 2 & 4

ANATEL:07139-24-16830

Philippines

Mini indexor unit



indexor module 60A



iLogger Case 2



iLogger Case 4



Mexico

Mini indexor unit



indexor module 60A



Mexico

iMaster



iLogger Case 2



iLogger Case 4



Taiwan

Mini indexor unit



indexor module 60A



iLogger Case 2



iLogger Case 4



South Africa

Mini indexor unit



indexor module 60A



iLogger Case 2



iLogger Case 4



Chile

Mini indexor unit

indexor module 60A

iLogger Case 2

iLogger Case 4

